

SHENZHEN ELANDA COMMERCIAL EQUIPMENT CO.,LTD.

- **** +86 -0755-23321833
- www.elandapos.com
- info@elandapos.com
- 9 5th F, Bldg. 30, Zone 5th , Huaide Cuigang Industrial Park, Fuyong town, Shenzhen

SCREEN SCREEN

Elanda别联达

POS SYSTEM MANUFACTURER

CORPORATE CULTURE

- Company mission
 Make cashier easier,
 make user more relieved.
- Company prospect
 To be leading brand
 among touch screen POS
- Business Philosophy
 Integrity Concentration
 Cooperation Innovation
- Service Concept
 Highest quality, Superb
 service
- Conduct rules
 Serious Quick
 Commitment
- Core Value

 Customer first
 Believe in the company
 Team cooperation
 Humanism
 Dedication

Devotion



MOVE IN ELANDA




Shenzhen Elanda Commercial Equipment Co., LTD. was founded in 2012, located in Shenzhen, China. We are a high-tech company for POS machine and peripheral equipment. We focus on research, development and product manufacturing for touch POS. Our products are widely used in various industries such as finance, medical services, sports, recreation, retail and hospitality, and won a number of customers from worldwide.

Elanda established modern industrial factory with advanced production line and QC equipments, support large and urgent order. Elanda has experienced products research team to develop more popular products for our own brand, we have at least 2 new models in one year. At the same time, we also actively undertaking a large number of ODM and OEM productions for some large and well known companies in this industry.

Elanda established modern industrial factory with advanced production line and QC equipments, support large and urgent order. Elanda has experienced products research team to develop more popular products for our own brand, we have at least 2 new models in one year. At the same time, we also actively undertaking a large number of ODM and OEM productions for some large and well known companies in this industry.

01 | ELANDA



T320 PIUS

FLEXIBLE AND SPACE SAVING DESIGN



T320 Plus

Touch Screen POS System




- Fording depth up to 10cm
- Delicate and cabinet design, better for space saving
- Support wall-mounted function, more options for installation
- Modular design (customer display), easy for disassembly





Dimensions







T320 Plus POS Machine


Specification			
Processor	Intel Bay Trail J1900 Quad Core CPU, up to 2.42 GHz, 2M Cache		
System Memory	DDR3L SO-DIMM x 1, max. 8GB		
Storage Device	mini SATA		
Power Supply	12V / 5A		
OS support	Win 7 / POSReady 7 / WE 8.1 Industry / Win 10 IoT / Linux per request		
Display & Touch			
Display	15" TFT LCD		
Resolution	1024 x 768		
Touch	True-flat PCAP touch with multi-touch support		
2nd display	VFD / 9.7inch 1024*768		
/O Expansion			
Serial Port	Up to 3		
Standard USB Port	USB 3.0 x 2 + USB 2.0 x 3		
LAN Port	10/100/1000 Mb × 1		
Display Port	VGA x 1		
Audio	$Line\text{-}out\times 1, Mic\text{-}in\times 1$		
Expansion Slot	Mini-PCle slot x 1		
Physical Dimension			
Dimension	425mm * 340mm * 420mm.		
Weight	6.24KG		
Environmental			
Operating Condition	0°C - 40°C, 20%RH - 90%RH (Equipped with HDD);		
Operating Condition	6.24KG		
/O Expansion			
Serial Port	Support 1&2&3 track		
Parallel Port	Mini-PCle WiFi/BT module		

I/O Interfaces



① COM 1 ② AUDIO ③ USB*2
④ LAN ⑤ USB*2 ⑥ VGA

O5 | ELANDA | O6



X200

POWERFUL FUNCTIONING



X200 Plus Touch Screen POS System





- Introduce industrial grade A LED panel
- Aluminium base design, better for heat dissipation and anti-static
- Support MSR and built-in barcode scanner
- Stylish design, concealed wiring






Dimensions








X200 POS Machine

System Configuration			
Processor	Intel Bay Trail J1900 Quad Core CPU, up to 2.42 GHz, 2M Cache		
System Memory	DDR3L SO-DIMM x 1, Up to 8GB		
Storage Device	SATA Storage x 2 (one for HDD/SSD; the other for 1" SSD only) or optional eMMC modu		
Power Supply	12V/100W		
OS support	Win 7/POSReady 7/WE 8.1 Industry/Win 10 IoT/Linux per request		
Display & Touch			
Screen Size	15"		
Resolution	1024 x 768		
Touch	True-flat PCAP touch with multi-touch support (IP65 on front panel)		
I/O Expansion			
Serial Port	Up to 4		
Parallel Port	Optional 1		
Standard USB Port	8. 6, USB 3.0 × 2, USB 2.0 × 4		
LAN Port	10/100/1000 Mb x 1		
Display Port	VGA x 1		
Audio	Line-out x 1		
Expansion Slot	Mini-PCle slot \times 1		
Physical Dimension			
Dimension	430mm * 415mm * 455mm		
Weight	10.36KG		
Environmental			
Operating Condition	0°C - 40°C, 20%RH - 90%RH (Equipped with HDD);		
Storage Condition	-20°C - 70°C, 10%RH - 90%RH		
Built-in Options			
MSR	3 tracks ISO or JISII (HID/VCOM selection)		
WiFi	Mini-PCle WiFi/BT module		



I/O Interfaces

① COM 1	2 COM 2	3 COM 3	4 COM 4
(5) HDMI	6 VGA	① USB*2	8 USB*2
(9) LAN	(10) AUDIO		

09 | ELANDA



OEM&ODM service-experienced R&D team

MAIN COMPONENTS WE ARE SPECIAL

LED panel

- Industrial A grade LED panel imported from Japan
- Service life is up to 10 years


TOUCH SCREEN

- Taiwaness IC solution
 fast、accurate、stable
- Touch screen

10 touch position, maximum support 20 touch position

ELANDA 12





STRICTEST OF THE QUALITY **CONTROL**

OPERATOR SELF-INSPECTION, LINE LEADER ROUTING INSPECTION, INSPECTOR INSPECTION



AGING TEST



8 OQC



9 SHIPMENT

ELANDA | 14

GLOBAL SERVICES



AFTER SALES PROCESS



AFTER SALES SUPPORT

Offering most on-time after sales service, quick response in 24 hours



WARRANTY

Offering one year full warranty, three years free online maintenance